



**Ceiling Mounted Horse Walker
with Lunging Ring**



 **Kraft** ...keeps your horses fit!

Horses love roaming. In their natural environment they will cover up to 50 kilometers daily in search for food.

The health and vitality of a horse is linked directly to the amount of exercise it gets.

The ceiling mounted walker contains a spacious inner area that is very suitable for lunging.

The complete roof allows for year-round use of the lunging pen and walker.

Kraft ...keeps your horses fit! – from walk to gallop.



Ceiling Mounted Horse Walker with lunging ring

Standard of Performance


- K** Planning, structural engineering, design, building permits, timely installation as well as concrete foundations, turnkey construction
- K** 3 varieties of rotating gates (see technical spec sheet number 1)
- K** Various control panel configurations (see technical spec sheet number 2)
- K** Optional irrigation system (see technical spec sheet number 3)
- K** 5 varieties of roofing materials (see technical spec sheet number 4)
- K** Traditional hinged or sliding gates (see technical spec sheet number 5)
- K** Covered entry with flat or ridged roof (see technical spec sheet number 6)
- K** Various fence styles (see page 3)
- K** For 4 - 10 horses, 12 - 40 Meter diameters
- K** Industrial belt drive, low maintenance and quiet
- K** Simple operation, sturdy construction and high safety standards
- K** All products can be custom designed according to client needs. Optional self-installation available

Title photo:


Anjou vof Auftritt from Kessy.
Breeder: The Kraft Family



Ceiling Mounted Walker, ground plan



Ceiling Mounted Walker, Cross Section



Ceiling Mounted Walker, round, open inner area for lunging

Sample of Fence Varieties

The inner and outer fences are important functional components of every horse walker and also affect the safety of both horse and rider.

Kraft Ceiling Mounted Walkers with lunging ring are designed with 12 columns (12-sided) and the inner and outer fences are 24-sided which creates a nearly round fence structure.



Fence Type H

- ▶ as Type I below, but with spruce boards

Fence Type I

- ▶ horizontal hard wood boards, 40 mm (1.5") thick
- ▶ solid up to 2 Meters (6.5"), with top bite guard
- ▶ with middle post to create 24 sides



Fence Type J

- ▶ as Type K below, but with spruce boards

Fence Type K

- ▶ horizontal hard wood boards, 40 mm (1.5") thick
- ▶ solid up to 1.5 Meters (5')
- ▶ from 1.5 Meters (5') to 2 Meters (6.5') with galvanized framed pipe or welded wire
- ▶ with middle post to create 24 sides



Fence Type L

- ▶ double sided wall, outside is 12-sided board and batten
- ▶ solid up to 2 Meters (6.5')
- ▶ inside is 24-sided 32 mm (1.25") tongue and groove boards



Inside Fences

Panel Fence Type A

- ▶ QR 50/3 galvanized panel fence
- ▶ solid up to 1.5 Meters (5') with hard wood boards

Panel Fence Type B

- ▶ QR 40/3 galvanized panel fence
- ▶ solid up to 1.5 Meters (5') with spruce boards
- ▶ tongue and groove, planed, pressure treated
- ▶ from 1.5 Meters (5') to 2 Meters (6') with galvanized pipe or welded wire



**Samples:
Ceiling Mounted Horse Walker
with lunging ring**



Frenzl Riding Stables, Munich, Germany, Ceiling Mounted Walker with ceramic tile roof



Spanish Riding School, Vienna, Austria, Ceiling Mounted Walker with metal roof and wind net



Paul Estermann Riding Sport Center, Hildisrieden, Switzerland, Ceiling Mounted Walker with corrugated cement fiber roof



Fairhill Training Center, Oxford, Maryland, USA, Ceiling Mounted Walker with metal roof



Daryl and Kim Stewart, Jefferson, Maryland, USA, Ceiling Mounted Walker with metal roof



Mr. Wolfsdorf, Denkingen, Germany, Enclosed Round Pen with ceramic tile roof



WINSTAR-Farm, Lexington, Kentucky, USA, Ceiling Mounted Walker with shingles

**Uwe Kraft
Reitsportgeräte & Metallbau GmbH**

Telephone +49 (7959) 7 02
Telefax +49 (7959) 25 94

 **Kraft** ...keeps your horses fit!

Riedwasen 10
74586 Frankenhardt - Honhardt

Internet: www.kraft-fuehranlagen.de
email: info@reitsportgeraete.de